

STRETCH



LED DISPLAY STRETCH

COMUNICACIÓN
LED INTEGRAL

www.viewled.com.ar

VIEWLED



LCD DISPLAY STRETCH



19"

VDS-19ST

PANTALLA LCD	477 X 89 MM.
RESOLUCIÓN	1920 X 360 PX.
BRILLO	300 CD/M2



21"

VDS-21ST

PANTALLA LCD	518 X 148 MM.
RESOLUCIÓN	1920 X 550 PX.
BRILLO	400 CD/M2



23"

VDS-23ST

PANTALLA LCD	586 X 48 MM.
RESOLUCIÓN	1920 X 158 PX.
BRILLO	700 CD/M2



24"

VDS-24ST

PANTALLA LCD	598 X 112 MM.
RESOLUCIÓN	1920 X 360 PX.
BRILLO	400 CD/M2



35"

VDS-35ST

PANTALLA LCD	878 X 48 MM.
RESOLUCIÓN	2880 X 158 PX.
BRILLO	400 CD/M2



37"

VDS-37ST

PANTALLA LCD	904 X 258 MM.
RESOLUCIÓN	3840 X 720 PX.
BRILLO	450 CD/M2



43"

VDS-43ST

PANTALLA LCD	1071 X 301 MM.
RESOLUCIÓN	3840 X 1080 PX.
BRILLO	450 CD/M2



47"

VDS-47ST

PANTALLA LCD	1189 X 223 MM.
RESOLUCIÓN	1920 X 360 PX.
BRILLO	700 CD/M2



49"


VDS-49ST

PANTALLA LCD	1210 X 340 MM.
RESOLUCIÓN	1920 X 540 PX.
BRILLO	450 CD/M2



LCD DISPLAY

STRETCH



VDS-19ST

PANTALLA LCD	477 X 89 MM.
RESOLUCIÓN	1920 X 360 PX.
BRILLO	300 CD/M2



CONTRAST RATIO	1500:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID	ANDROID 8.1
CPU	ROCKCHIP PX30 QUAD CORE ARM COTEX-A35
RAM	DDR3 1G
ROM	8G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10°C -- 50 °C)
WORKING TEMP	(0°C-- 40 °C)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE

• STRETCH



SONIDO



CONECTIVIDAD



CONECTIVIDAD



CONTENIDOS



ANDROID



TÁCTIL

VIEWLED

LCD DISPLAY

STRETCH



VDS-21ST

PANTALLA LCD	518 X 148 MM.
RESOLUCIÓN	1920 X 550 PX.
BRILLO	400 CD/M2



CONTRAST RATIO	1500:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID	ANDROID 8.1
CPU	ROCKCHIP PX30 QUAD CORE ARM COTEX-A35
RAM	DDR3 1G
ROM	8G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10°C -- 50 °C)
WORKING TEMP	(0°C-- 40 °C)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE

• STRETCH



SONIDO



CONECTIVIDAD



CONECTIVIDAD



CONTENIDOS



ANDROID




TÁCTIL

VIEWLED

LCD DISPLAY

STRETCH



CONTRAST RATIO	1500:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID	ANDROID 8.1
CPU	ROCKCHIP PX30 QUAD CORE ARM COTEX-A35
RAM	DDR3 1G
ROM	8G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10℃ -- 50 ℃)
WORKING TEMP	(0℃-- 40 ℃)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE

• STRETCH



SONIDO



CONECTIVIDAD



CONECTIVIDAD



CONTENIDOS



ANDROID



TÁCTIL

VIEWLED

LCD DISPLAY

STRETCH



CONTRAST RATIO	1500:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID	ANDROID 8.1
CPU	ROCKCHIP PX30 QUAD CORE ARM COTEX-A35
RAM	DDR3 1G
ROM	8G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10℃ -- 50 ℃)
WORKING TEMP	(0℃-- 40 ℃)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE

VDS-24ST

PANTALLA LCD	598 X 112 MM.
RESOLUCIÓN	1920 X 360 PX.
BRILLO	400 CD/M2

24"

• STRETCH



SONIDO



CONECTIVIDAD



CONECTIVIDAD



CONTENIDOS



ANDROID



TÁCTIL

VIEWLED

LCD DISPLAY

STRETCH



35"

VDS-35ST

PANTALLA LCD	878 X 48 MM.
RESOLUCIÓN	2880 X 158 PX.
BRILLO	400 CD/M2



CONTRAST RATIO	3000:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID	ANDROID 9.0
CPU	T972 QUAD CORE ARM CORTEX-A55 1.9GHZ
RAM	DDR3 2G
ROM	8G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10°C -- 50 °C)
WORKING TEMP	(0°C-- 40 °C)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE




• STRETCH




VIEWLED

LCD DISPLAY



VDS-37ST

PANTALLA LCD	904 X 258 MM.
RESOLUCIÓN	3840 X 720 PX.
BRILLO	450 CD/M2



STRETCH

CONTRAST RATIO	1000:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID	ANDROID 8.1
CPU	ROCKCHIP PX30 QUAD CORE ARM COTEX-A35
RAM	DDR3 1G
ROM	8G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10°C -- 50 °C)
WORKING TEMP	(0°C-- 40 °C)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE

• STRETCH



SONIDO



CONECTIVIDAD



CONECTIVIDAD



CONTENIDOS




ANDROID



TÁCTIL

VIEWLED

LCD DISPLAY



VDS-43ST

PANTALLA LCD	1071 X 301 MM.
RESOLUCIÓN	3840 X 1080 PX.
BRILLO	450 CD/M2



STRETCH

CONTRAST RATIO	1500:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID	ANDROID 8.1
CPU	ROCKCHIP PX30 QUAD CORE ARM COTEX-A35
RAM	DDR3 1G
ROM	8G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10°C -- 50 °C)
WORKING TEMP	(0°C-- 40 °C)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE

• STRETCH



SONIDO



CONECTIVIDAD



CONECTIVIDAD



CONTENIDOS




ANDROID



TÁCTIL

VIEWLED

LCD DISPLAY



STRETCH

CONTRAST RATIO	1200:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID	ANDROID 8.1
CPU	ROCKCHIP PX30 QUAD CORE ARM COTEX-A35
RAM	DDR3 1G
ROM	8G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10°C -- 50 °C)
WORKING TEMP	(0°C-- 40 °C)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE

VDS-47ST

PANTALLA LCD	1189 X 223 MM.
RESOLUCIÓN	1920 X 360 PX.
BRILLO	700 CD/M2



SONIDO



CONECTIVIDAD



CONECTIVIDAD



CONTENIDOS



ANDROID



TÁCTIL

VIEWLED

• STRETCH

LCD DISPLAY

STRETCH



VDS-49ST

PANTALLA LCD	1210 X 340 MM.
RESOLUCIÓN	1920 X 540 PX.
BRILLO	450 CD/M2



CONTRAST RATIO	1500:1
COLOURBRIGHTNESS	16.7M
VIEWING ANGLE	89/89/89/89(L/R/U/D)
RESPONSE TIME	8MS
BUILT-IN STERO SPEAKERS	5W*2
POWER INPUT	AC100-240V(POWER ADAPTOR)
ANDROID / LINUX	ANDROID 5.1/6.0/7.1/8.1
CPU	RK3288
RAM	DDR3 2G
ROM	16G (NAND FLASH)
STORAGE EXTENSION	UP TO 32GB SD/TF CARD EXTENSION, ALSO SUPPORTS SATA DRIVER EXTENSION
WIFI	HIGH-PERFORMANCE WIFI 802.11B/G/N
4G	OPTIONAL
CASE MATERIAL	METAL CASE
CASE COLOR	STANDARD COLOR: BLACK(CUSTOMIZED COLOR UPON REQUEST)
STORAGE TEMP	(-10°C -- 50 °C)
WORKING TEMP	(0°C-- 40 °C)
STORAGE/WORKING HUMIDITY	(10 -- 90%) NON-CONDENSING STATE

• STRETCH



SONIDO



CONECTIVIDAD



CONECTIVIDAD



CONTENIDOS



ANDROID



TÁCTIL

VIEWLED

SOMOS INNOVACION EN TECNOLOGÍA LED APLICADA A LA IMAGEN



COMUNICACIÓN LED INTEGRAL

2025

www.viewled.com.ar

STRETCH
VIEWLED